WEST Search History

Hide Items Restore Clear Cancel

DATE: Wednesday, June 09, 2004

Hide?	Set Nan	<u> 1e Query</u>	Hit Count	
	$DB=U_{i}$	SPT; PLUR=YES; OP=AND		
	L1	(taylorella\$ or equigenital\$).ti,ab,clm.	0	
	L2	(taylorel\$ or equigenital\$).ti,ab,clm.	0	
	L3	(taylorel\$ or equigenital\$)	13	
	L4	(taylorel\$ or equigenit\$)	13	
	L5	L4 not 13	0	
DB=EPAB,JPAB,DWPI; PLUR=YES; OP=AND				
	L6	(taylorel\$ or equigenital\$)	2	
	DB=PC	GPB; PLUR=YES; OP=AND		
	L7	(taylorel\$ or equigenital\$)	5	

END OF SEARCH HISTORY

WEST Search History

Hide Items Restore Clear Cancel

DATE: Wednesday, June 09, 2004

Hide?	Set Name	<u> Query</u>	Hit Count
	DB=US	PT; PLUR=YES; OP=AND	
	L1	(taylorella\$ or equigenital\$).ti,ab,clm.	. 0
	L2	(taylorel\$ or equigenital\$).ti,ab,clm.	0
	L3	(taylorel\$ or equigenital\$)	13
	L4	(taylorel\$ or equigenit\$)	13
	L5	L4 not 13	0

END OF SEARCH HISTORY

· First Hit

Generate Collection

L6: Entry 1 of 2

File: EPAB

Oct 23, 1997

went

PUB-NO: WO009739034A1

DOCUMENT-IDENTIFIER: WO 9739034 A1

TITLE: MEANS FOR DETECTING BACTERIA OF THE TAYLORELLA EQUIGENITALIS SPECIES AND

THEIR BIOLOGICAL APPLICATIONS

PUBN-DATE: October 23, 1997

INVENTOR-INFORMATION:

NAME

KLEIN, FREDERIC

GRADINARU, DRAGOS

COUNTRY

FR

FR

INT-CL (IPC): $\underline{\text{C07}}$ $\underline{\text{K}}$ $\underline{\text{16}/\text{12}}$; $\underline{\text{C07}}$ $\underline{\text{K}}$ $\underline{\text{16}/\text{42}}$; $\underline{\text{C07}}$ $\underline{\text{K}}$ $\underline{\text{14}/\text{285}}$; $\underline{\text{C12}}$ $\underline{\text{N}}$ $\underline{\text{5}/\text{06}}$; $\underline{\text{G01}}$ $\underline{\text{N}}$ $\underline{\text{33}/\text{569}}$; $\underline{\text{G01}}$

N 33/577; A61 K 39/395

EUR-CL (EPC): C07K016/12; C07K016/42

· First Hit

Generate Collection

L6: Entry 2 of 2

File: DWPI

Oct 23, 1997

DERWENT-ACC-NO: 1997-526404

DERWENT-WEEK: 200225

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Monoclonal antibodies, immunogens and anti-antibodies specific for

 $\underline{\text{Taylorella equigenitalis}}$ - for diagnosis, treatment and prevention of contagious

equine metriosis

INVENTOR: GRADINARU, D; KLEIJ

; KLEIN, F

PRIORITY-DATA: 1996FR-0904623 (April 12, 1996)

	Search Selected	Search ALL	Clear
PATENT-FAMILY:			

	PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
	WO 9739034 A1	October 23, 1997	F	049	C07K016/12
	US 20020037879 A1	March 28, 2002		000	A61K031/665
П	FR 2747387 A1	October 17, 1997		046	C07K016/12
	AU 9726416 A	November 7, 1997	•	000	C07K016/12
	AU 708879 B	August 12, 1999		000	C07K014/285

INT-CL (IPC): A01 N 57/00; A61 K 31/665; A61 K 39/395; A61 K 48/00; C07 K 14/195; C07 K 14/285; C07 K 16/12; C07 K 16/42; C12 N 5/06; C12 N 5/18; G01 N 33/569; G01 N 33/577

Generate Collection

Print

Search Results - Record(s) 1 through 13 of 13 returned.

☐ 1. <u>6280741</u> . 19 Aug 99; 28 Aug 01. Equine treatment and method of administering such treatment. Jessup; Ed C 424/256.1; 424/234.1 424/93.1 435/243. A61K039/102.
2. <u>6277577</u> . 14 May 99; 21 Aug 01. Hybridization probes derived from the spacer region between the 16s and 23s RRNA genes for the detection of non-viral microorganisms. Rossau; Rudi, et al. 435/6; 435/91.2 536/23.1 536/24.1 536/24.32 536/24.33. C12Q001/68 C12P019/34 C07H021/04.
3. <u>6225111</u> . 03 Aug 95; 01 May 01. Recombinant equine herpesviruses. Cochran; Mark D., et al. 435/320.1; 536/23.2 536/23.72. C12N015/86.
4. <u>6139846</u> . 06 Jan 99; 31 Oct 00. Protein D- an IGD-binding protein of haemophilus influenzae. Forsgren; Arne. 424/256.1; 424/184.1 424/185.1 436/513 530/350. A61K039/102 A61K039/00 A61K039/38 C07K001/00 C07K014/00.
5. <u>6025484</u> . 13 Nov 97; 15 Feb 00. Protein Dan IgD-binding protein ofhaemophilus influenzae. Forsgren; Arne. 536/23.7; 424/256.1 435/252.3 435/320.1 436/51 536/23.1 536/23.4 536/24.32 536/24.33. C07H021/04.
☐ 6. <u>5989828</u> . 12 Nov 96; 23 Nov 99. Protein D-an IgD binding protein of Haemophilus influenzae. Forsgren; Arne. 435/7.1; 435/5 436/513 530/350 530/387.1. G01N033/53 C12Q001/70 H01R031/08 C07K001/00.
7. <u>5945282</u> . 22 Apr 96; 31 Aug 99. Hybridization probes derived from the spacer region between the 16S and 23S rRNA genes for the detection of non-viral microorganisms. Rossau; Rudi, et al. 435/6; 536/23.1 536/24.1 536/24.32 536/24.33. C12Q001/68 C07H021/04.
8. <u>5891438</u> . 14 Jul 95; 06 Apr 99. Method for stimulating production of variable region gene family restricted antibodies through B-cell superantigen vaccination. Silverman; Gregg J 424/185.1; 424/203.1 424/234.1 514/12 514/2 514/23 514/54 514/8 530/300 530/324. A61K039/00 A61K038/00 A01N037/18 A01N043/04.
9. <u>5888517</u> . 25 Sep 97; 30 Mar 99. Protein D-an IgD-binding protein of Haemophilus influenzae. Forsgren; Arne. 424/256.1; 424/184.1 424/185.1 436/513 530/350. A61K039/102 A61K039/00 C07K001/00 G01N033/563.
☐ 10. <u>5858677</u> . 05 Nov 97; 12 Jan 99. Protein Dan IgD-binding protein of haemophilus influenzae. Forsgren; Arne. 435/6; 424/256.1 435/7.32 536/23.7 536/24.3 536/24.32 536/24.33. C12Q001/68.
11. <u>5741696</u> . 17 Feb 94; 21 Apr 98. Recombinant equine herpesviruses. Cochran; Mark D., et al. 435/235.1; 435/236 435/320.1. C12N007/01 C12N007/04 C12N015/86.
12. <u>5536638</u> . 29 Mar 95; 16 Jul 96. Hybridization probes derived from the spacer region between he 16S and 23S rRNA genes for the detection of Neisseria gonorrhoeae. Rossau; Rudi, et al. 435/6; 435/91.2 536/24.32 536/24.33. C12Q001/68 C12P019/34 C07H021/04.

◆□ 13. <u>4483851</u>. 18 Aug 82; 20 Nov 84. Treatment for contagious equine metritis. Swerczek; Thomas W.. 514/23; 514/931. A61K031/70.

Generate Collection Print

Terms	Documents
(taylorel\$ or equigenital\$)	13

Prev Page Next Page Go to Doc#

First Hit Fwd Refs

L3: Entry 1 of 13

File: USPT

Aug 28, 2001

US-PAT-NO: 6280741

DOCUMENT-IDENTIFIER: US 6280741 B1

TITLE: Equine treatment and method of administering such treatment

DATE-ISSUED: August 28, 2001

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Jessup; Ed C.

Canyon

TX

79105

APPL-NO: 09/ 377088 [PALM]
DATE FILED: August 19, 1999

INT-CL: [07] A61 K 39/102

US-CL-ISSUED: 424/256.1; 424/234.1, 424/93.1, 435/243 US-CL-CURRENT: 424/256.1; 424/234.1, 424/93.1, 435/243

FIELD-OF-SEARCH: 424/93.1, 424/234.1, 424/256.1, 424/203.1, 435/101, 435/243

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

	Search Selected	Search ALL Clear	
PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
4701323	October 1987	Roth et al.	
4877613	October 1989	Vedros et al.	
4981685	January 1991	Healy	
5456914	October 1995	Stine et al.	424/256.1

OTHER PUBLICATIONS

1995, Haemophilus and <u>Taylorella</u>, in Essentials of Veterinary Medicine 189-93 (5th ed. G.R. Carter, M.M. Chengappa, A.W. Roberts, eds.).

S. Rosendal and D.A. Boyd, Hemophilus, in Pathogenesis Of Bacterial Infections In Animals 132-36 (C.L. Gyles and C.O. Thoen eds.)

1982, Equine Medicine And Surgery, 1045-8 (R.A. Mansmann, E.S. McAllister, P.W. Pratt eds.).

1993-4 Vetrinary Pharmaceuticals And Biologicals 445-7, 506, 675-6, 711 (8th ed. L. Darling ed.).

1985, Pathology Of Domestic Animals, 63-4 (K.V.F. Jubb, P.C. Kennedy, N. Palmer eds.).

◆Pathogenesis of Bacterial Infections in Animals, 132-136, (S. Rosendal and D. A. Boyd).

Considerations on the Pathogenesis of Navicular Disease, in Equine Veterinary Science 4-8 (K.N. Thompson, PhD., J.R. Rooney, DVM; M.B. Petrictes-Murphy, DVM, PhD.).

Treatmen and pathogenesis of navicular disease (`syndrome`) in horses, in Equine Veterinary Journal 478-481.

Pathophysiology of Navicular Syndrome, in Veterinary Clinics of North America: Equine Practice 108-129 (vol. 5, No. 1, Apr. 1989, Roy R. Pool, DVM, PhD., Dennis M. M. Meagher, DVM, PhD, and Susan M. Stover, DVM, PhD).

Navicular Disease in the Horse, in Journal of Equine Veterinary Science 19-24 (vol. 16, No. 1, 1996, R.J. Rose DVSc, FRCVS, DipVetAn, MACVSc).

Biochemical considerations in the treatment of navicular disease, in TEH Veterinary Record 109*114 (1993, I., M. Wright J. Douglas).

Diagonsis and Treatment of the Navicular Syndrome in Horses, in Veterinary Clinics Of North America: Equine Practice 131-145 (vol. 5, No. 1, Apr. 1989, Tracey A. Turner, DVM, MS).

The Navicular Syndrom, in Journal of Equine Veterinary Science 408-410 (vol. 14, No. No. 8, 1994, Richard L. Asquith, DVM adn Jan Kivipelto MS).

Navicular Disease vs. Navicular Syndrom, in Equine Practice 20-22 (vol. 16, No. 3, Mar. 1994, Patrick Colahan, DVM).

Navicular Disease in the Horse: The Effect of Controlled Intrabursal Corticoid Injection, in Equine Veterinary Science 316-320 (Jul./Aug. 1990, F. Verschooten, DVM, P. Desmet, DVM, K. Pereman's, DVM and T. Picavet, DVM).

The Blood Supply of Normal and Diseased Navicular Bones, in Veterinary Radiology 276-281 (vol. 29, No. 6,1 1988, B. Hertsch, H. Dammer).

The Nature of Enlarged "Vascular Channels" in the Navicular Bone of the Horse, in the Veterinary Radiology 60-64 (vol. 29, No. 2, 1988, Paul W. Poulus, DVM, PhD, Michael F. Smith, DVM).

The Improtance of the Lateroedical View for the Radiographic Diagnosis of Navicular Disease, in Horses l Lateromedal View And Navicular Disease 172-180 (F. Verschooten).

An Effective Shoe for Navicular Disease, in Journal Of Equine Veterinary Science 295-298 (vol. 14, No. 6, 1994, Robert M. Miller, DVM).

Treating Navicular Disease, in Veterinary Medicine 454-459 (May 1997, Mark V. Crisman, DVM, MS, Dipl. ACVIM, R. Scott Pleasant, DVM, MS, Dipl. ACVS).

Therapy for Navicular Disease, in The Compendium 1462-1466 (North American Edition, Gayle W. Trotter, DVM, MS Diplomate, ACVS).

ART-UNIT: 165

PRIMARY-EXAMINER: Graser; Jennifer E.

ATTY-AGENT-FIRM: Bracewell & Patterson LLP

ABSTRACT:

The invention is directed to a novel method for the use of vaccines to be used in the treatment and/or prevention of Navicular Disease in horses. The method comprises comprises administration of a preparation of Haemophilus somnus (H. somnus) and/or Haemophilus ovis (H. ovis) or a combination of H. somnus and H. ovis antigen, by intramuscular injection. Vaccination with antigens specific to these bacilli will prevent onset of Navicular Disease and will prevent further degeneration of the Navicular bone and bursa in animals afflicted with the disease.

6 Claims, 0 Drawing figures

First Hit Fwd Refs

Generate Collection Print

L3: Entry 1 of 13

File: USPT

Aug 28, 2001

US-PAT-NO: 6280741

DOCUMENT-IDENTIFIER: US 6280741 B1

TITLE: Equine treatment and method of administering such treatment

DATE-ISSUED: August 28, 2001

INVENTOR - INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Jessup; Ed C.

Canyon

ΤX

79105

US-CL-CURRENT: 424/256.1; 424/234.1, 424/93.1, 435/243

CLAIMS:

What is claimed is:

1. A method of treating a horse for navicular disease comprising:

administering to said horse an effective amount of an H. somnus vaccine, said H. somnus vaccine containing a killed bacterin of Haemophilus.

- 2. The method of claim 1 wherein the effective amount of an H. somnus vaccine is at least about 5.0 milliliters.
- 3. The method of claim 2 wherein said vaccine is administered to the horse at least six times.
- 4. The method of claim 2 wherein said vaccine is administered to the horse once per week.
- 5. The method of claim 2 wherein said vaccine is administered to the horse at least periodically.
- 6. The method of claims 3 to 5 wherein the administering step includes injecting said vaccine into the neck of the horse by intramuscular injection.

First Hit Fwd Refs

Generate Collection Print

L3: Entry 8 of 13

File: USPT

Apr 6, 1999

US-PAT-NO: 5891438

DOCUMENT-IDENTIFIER: US 5891438 A

TITLE: Method for stimulating production of variable region gene family restricted antibodies through B-cell superantigen vaccination

DATE-ISSUED: April 6, 1999

INVENTOR - INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Silverman; Gregg J.

Encinitas

CA

US-CL-CURRENT: <u>424/185.1</u>; <u>424/203.1</u>, <u>424/234.1</u>, <u>514/12</u>, <u>514/2</u>, <u>514/23</u>, <u>514/54</u>, <u>514/8</u>, <u>530/300</u>, <u>530/324</u>

CLAIMS:

I claim:

- 1. A composition comprising a peptide and a microbial polysaccharide antigen or glycoprotein antigen wherein the peptide is a B cell superantigen with Fab antibody binding specificity and the amino acid sequence of SEQ. ID. No. 51.
- 2. A composition according to claim 1 wherein the microbial polysaccharide antigen stimulates production in vertebrates of antibodies restricted to the V.sub.H 3 family.
- 3. A method for stimulating the production of variable (V) region family restricted antibodies against one or more microbial polysaccharide antigens or glycoprotein antigens in a vertebrate host, the method comprising:

administering a peptide wherein the peptide is a B cell superantigen with Fab antibody binding specificity and the amino acid sequence of SEQ. ID. No. 51 concomitantly with at least one of said microbial polysaccharide antigens or glycoprotein antigens to the host, wherein said administering stimulates B cell proliferation and production by the host of variable region restricted antibodies with binding specificity for the microbial polysaccharide antigens or glycoprotein antigens.



US 20020037879A1

(19) United States

(12) Patent Application Publication (10) Pub. No.: US 2002/0037879 A1 KLEIN et al. (43) Pub. Date: Mar. 28, 2002

- (54) MEANS FOR DETECTING BACTERIA OF THE TAYLORELLA EQUIGENITALIS SPECIES AND THEIR BIOLOGICAL APPLICATIONS
- (76) Inventors: FREDERIC KLEIN, ALENCON (FR);
 DRAGOS GRADINARU, ALENCON
 (FR)

Correspondence Address: BURNS DOANE SWECKER & MATHIS L L P POST OFFICE BOX 1404 ALEXANDRIA, VA 22313-1404 (US)

- (*) Notice: This is a publication of a continued prosecution application (CPA) filed under 37 CFR 1.53(d).
- (21) Appl. No.: 09/155,982

(22) PCT Filed: Apr. 1

Apr. 11, 1997

(86) PCT No.:

PCT/FR97/00649

(30) Foreign Application Priority Data

Publication Classification

(51)	Int. Cl.7	A61K 31/665; A01N 57/00
(52)	U.S. Cl.	

(57) ABSTRACT

The invention concerns monoclonal antibodies and their biological applications. These monoclonal antibodies are characterised by the fact that they recognize an epitope of a bacterium of the *T. equigenitalis* species.